

Edition 1.0 2007-12

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications – Part 6-11: Application layer protocol specification – Type 11 elements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

V

CONTENTS

)RD			
INT	NTRODUCTION6				
1	Scope				
	1.1	General	7		
	1.2	Specifications	8		
	1.3	Conformance	8		
2	Norn	native references	8		
3	Terms, definitions, symbols, abbreviations and conventions				
	3.1	Introduction	9		
	3.2	Terms and definitions from other ISO/IEC standards	9		
	3.3	Terms and definitions from IEC/TR 61158-1	10		
	3.4	Other terms and definitions	10		
	3.5	Abbreviations and symbols	11		
	3.6	Conventions	12		
4	FAL syntax description				
	4.1	Concept	13		
	4.2	General	14		
	4.3	FAL-AR PDU abstract syntax	14		
	4.4	Abstract syntax of PDU body	15		
	4.5	Data type	15		
5	Transfer syntax				
	5.1	Overview and FAL header	15		
	5.2	Encoding rule	16		
	5.3	Encoding of structured types	18		
6	FAL	protocol state machines structures			
	6.1	Overview	18		
7	FAL	service protocol machine (FSPM)	19		
	7.1	General	19		
	7.2	Primitives definitions			
	7.3	FSPM state tables			
8		ication relationship protocol machine (ARPM)	21		
	8.1	General			
	8.2	Primitive definitions			
	8.3	DLL mapping of BNU-PEC AREP class			
	8.4	BNU-PEC ARPM states machine			
9		mapping protocol machine (DMPM)			
	9.1	Overview			
	9.2	Primitive definitions			
	9.3	DLL mapping protocol machine (DMPM)			
	9.4	Data-link layer service selection			
Bib		phy			
_	5 -	• •			
Fig	ure 1	- RTE-TCnet communication profile	14		
_		– APDU overview			
_		- Relationship between FSPM, ARPM, DMPM and external physical CM			

Figure 4 – State transition diagram of FSPM	20
Figure 5 – State transition diagram of the BNU-PEC	23
Figure 6 – State transition diagram of DMPM	27
Table 1 – Conventions used for state machines	12
Table 2 – FAL header	16
Table 3 – Primitives issued by FAL user to FSPM	20
Table 4 – Primitives issued by FSPM to FAL user	20
Table 5 – FSPM state table – sender transactions	20
Table 6 – FSPM state table – receiver transactions	21
Table 7 – Function SelectArep	21
Table 8 – Primitives issued by FSPM to ARPM	22
Table 9 – Primitives issued by ARPM to FSPM	22
Table 10 – Parameters used with primitives exchanged between FSPM and ARPM	22
Table 11 – BNU-PEC state descriptions	23
Table 12 – BNU-PEC ARPM state table – sender transactions	24
Table 13 – BNU-PEC ARPM state table – receiver transactions	24
Table 14 – Function GetArepId ()	25
Table 15 – Function BuildFAL-PDU	25
Table 16 – Function FAL_Pdu_Type	25
Table 17 – Primitives issued by ARPM to DMPM	26
Table 18 – Primitives issued by DMPM to ARPM	26
Table 19 - Parameters used with primitives exchanged between ARPM and DMPM	26
Table 20 – Primitives exchanged between data-link layer and DMPM	27
Table 21 – DMPM state descriptions	27
Table 22 – DMPM state table – sender transactions	28
Table 23 – DMPM state table – receiver transactions	29
Table 24 – Function PickArep	29
Table 25 – Function FindAREP	29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-11: Application layer protocol specification – Type 11 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this standard may involve the use of patents concerning as follows:

TOSHIBA has the patent applications listed below:

- US Publication Number 6711131 and its counterpart patents in other countries
- US Publication Number 5414813 and its counterpart patents in other countries
- US Publication Number 4930121 and its counterpart patents in other countries

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

Toshiba Corporation 1-1, Shibaura 1-Chome Minato-ku Tokyo 105-8001, Japan

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

International standard IEC 61158-6-11 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-6 subseries cancel and replace IEC 61158-6:2003. This edition of this part constitutes a technical addition. This part and its Type 11 companion parts also cancel and replace IEC/PAS 62406, published in 2005.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/476/FDIS	65C/487/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This edition of IEC 61158-6 includes the following significant changes from the previous edition:

- a) deletion of the former Type 6 fieldbus for lack of market relevance;
- b) addition of new types of fieldbuses;
- c) partition of part 6 of the third edition into multiple parts numbered -6-2, -6-3, ...

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under http://webstore.iec.ch in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- · withdrawn;
- replaced by a revised edition, or
- · amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

The list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-11: Application layer protocol specification – Type 11 elements

1 Scope

1.1 General

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs."

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 11 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible behavior provided by the different Types of the fieldbus Application Layer in terms of

- a) the abstract syntax defining the application layer protocol data units conveyed between communicating application entities,
- b) the transfer syntax defining the application layer protocol data units conveyed between communicating application entities,
- c) the application context state machine defining the application service behavior visible between communicating application entities; and
- d) the application relationship state machines defining the communication behavior visible between communicating application entities; and.

The purpose of this standard is to define the protocol provided to

- 1) define the wire-representation of the service primitives defined in IEC 61158-5-11, and
- 2) define the externally visible behavior associated with their transfer.

This standard specify the protocol of the IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can send/receive is specified. This permits greater flexibility to the FAL users in standardizing

such object behavior. In addition to these services, some supporting services are also defined in this standard to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-11.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in parts of the IEC 61158-6 series.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to the application layer service definition standard. Instead, conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60559, Binary floating-point arithmetic for microprocessor systems

IEC 61158-3-11, Industrial communication networks – Fieldbus specifications – Part 3-11: Data-link layer service definition – Type 11 elements

IEC 61158-5-11, Industrial communication networks – Fieldbus specifications – Part 5-11: Application layer service definition – Type 11 elements

IEC 61784-2, Industrial communication networks – Profiles – Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3

ISO/IEC 7498-1, Information technology – Open Systems Interconnection – Basic Reference Model — Part 1: The Basic Model

ISO/IEC 8822, Information technology – Open Systems Interconnection – Presentation service definition

ISO/IEC 8824, Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)

ISO/IEC 8825, Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)

ISO/IEC 9545, Information technology – Open Systems Interconnection – Application Layer structure