Contents:

CODE

- Chapter 1-General requirements, p. 349-6
- 1.1—Scope
- 1.2—Drawings and specifications
- 1.3—Inspection
- 1.4—Approval of special systems of design or construction
- 1.5—Quality assurance program
- Chapter 2—Notation and definitions, p. 349-7
- 2.1—Code notation
- 2.2—Definitions
- Chapter 3—Materials, p. 349-17
- 3.1—Tests of materials
- 3.2—Cements
- 3.3—Aggregates
- 3.4—Water
- 3.5—Steel reinforcement
- 3.6—Admixtures
- 3.7—Storage and identification of materials
- 3.8—Referenced standards
- Chapter 4—Durability requirements, p. 349-21
- 4.1—Water-cementitious material ratio
- 4.2—Freezing and thawing exposures

- 4.3—Sulfate exposures
- 4.4—Corrosion protection of reinforcement
- Chapter 5—Concrete quality, mixing, and placing, p. 349-22
- 5.1—General
- 5.2—Selection of concrete proportions
- 5.3—Proportioning on the basis of field experience or trial

mixtures, or both

- 5.4—Proportioning without field experience or trial mixtures
- 5.5—Average compressive strength reduction
- 5.6—Evaluation and acceptance of concrete
- 5.7—Preparation of equipment and place of deposit
- 5.8—Mixing
- 5.9—Conveying
- 5.10—Depositing
- 5.11—Curing
- 5.12—Cold weather requirements
- 5.13—Hot weather requirements
- Chapter 6—Formwork, embedded pipes, and construction joints, p. 349-26
- 6.1—Design of formwork
- 6.2—Removal of forms, shores, and reshoring
- 6.3—Conduits and pipes embedded in concrete
- 6.4—Construction joints
- Chapter 7—Details of reinforcement, p. 349-28

- 7.1-Standard hooks
- 7.2—Minimum bend diameters
- 7.3—Bending
- 7.4—Surface conditions of reinforcement
- 7.5—Placing reinforcement
- 7.6—Spacing limits for reinforcement
- 7.7—Concrete protection for reinforcement
- 7.8—Special reinforcement details for columns
- 7.9—Connections
- 7.10—Lateral reinforcement for compression members
- 7.11—Lateral reinforcement for flexural members
- 7.12—Minimum reinforcement
- 7.13—Requirements for structural integrity
- Chapter 8—Analysis and design—general
- considerations, p. 349-32
- 8.1—Design methods
- 8.2—Loading
- 8.3—Methods of analysis
- 8.4—Redistribution of negative moments in continuous flexural members
- 8.5—Modulus of elasticity
- 8.6—Stiffness
- 8.7—Span length
- 8.8—Columns

- 8.9—Arrangement of live load
- 8.10—T-beam construction
- 8.11—Joist construction
- 8.12—Separate floor finish
- Chapter 9—Strength and serviceability requirements, p. 349-34
- 9.1—General
- 9.2—Required strength
- 9.3—Design strength
- 9.4—Design strength for reinforcement
- 9.5—Control of deflections
- Chapter 10—Flexure and axial loads, p. 349-37
- 10.1—Scope
- 10.2—Design assumptions
- 10.3—General principles and requirements
- 10.4—Distance between lateral supports of flexural members
- 10.5—Minimum reinforcement of flexural members
- 10.6—Distribution of flexural reinforcement in beams and one-way slabs
- 10.7—Deep beams
- 10.8—Design dimensions for compression members
- 10.9—Limits for reinforcement of compression members
- 10.10—Slenderness effects in compression members
- 10.11—Magnified moments—general
- 10.12—Magnified moments—nonsway frames

- 10.13—Magnified moments—sway frames
- 10.14—Axially loaded members supporting slab system
- 10.15—Transmission of column loads through floor system
- 10.16—Composite compression members
- 10.17—Bearing strength
- Chapter 11—Shear and torsion, p. 349-42
- 11.1—Shear strength
- 11.2—Lightweight concrete
- 11.3—Shear strength provided by concrete for nonprestressed members
- 11.4—Shear strength provided by concrete for prestressed members
- 11.5—Shear strength provided by shear reinforcement
- 11.6—Design for torsion
- 11.7—Shear-friction
- 11.8—Deep beams
- 11.9—Special provisions for brackets and corbels
- 11.10—Special provisions for walls
- 11.11—Transfer of moments to columns
- 11.12-Special provisions for slabs and footings
- Chapter 12—Development and splices of reinforcement, p. 349-51
- 12.1—Development of reinforcement—general
- 12.2—Development of deformed bars and deformed wire in tension
- 12.3—Development of deformed bars and deformed wire in compression
- 12.4—Development of bundled bars

- 12.5—Development of standard hooks in tension
- 12.6—Mechanical anchorage
- 12.7—Development of welded deformed wire reinforcement in tension
- 12.8—Development of welded plain wire reinforcement in tension
- 12.9—Development of prestressing strand
- 12.10—Development of flexural reinforcement—general
- 12.11—Development of positive moment reinforcement
- 12.12—Development of negative moment reinforcement
- 12.13—Development of web reinforcement
- 12.14—Splices of reinforcement—general
- 12.15—Splices of deformed bars and deformed wire in tension
- 12.16—Splices of deformed bars in compression
- 12.17—Special splice requirements for columns
- 12.18-Splices of welded deformed wire reinforcement in tension
- 12.19—Splices of welded plain wire reinforcement in tension
- Chapter 13—Two-way slab systems, p. 349-56
- 13.1—Scope
- 13.2—Definitions
- 13.3—Slab reinforcement
- 13.4—Openings in slab systems
- 13.5—Design procedures
- 13.6—Direct design method
- 13.7—Equivalent frame method

Chapter 14—Walls, p. 349-62

- 14.1—Scope
- 14.2—General
- 14.3—Minimum reinforcement
- 14.4—Walls designed as compression members
- 14.5—Empirical design method
- 14.6—Nonbearing walls
- 14.7—Walls as grade beams
- 14.8—Alternative design of slender walls
- Chapter 15—Footings, p. 349-63
- 15.1—Scope
- 15.2—Loads and reactions
- 15.3—Footings supporting circular or regular polygonshaped columns or pedestals
- 15.4—Moment in footings
- 15.5—Shear in footings
- 15.6—Development of reinforcement in footings
- 15.7—Minimum footing depth
- 15.8—Transfer of force at base of column, wall, or reinforced pedestal
- 15.9—Sloped or stepped footings
- 15.10—Combined footings and mats
- Chapter 16—Precast concrete, p. 349-65
- 16.1—Scope
- 16.2—General

- 16.3—Distribution of forces among members
- 16.4—Member design
- 16.5—Structural integrity
- 16.6—Connection and bearing design
- 16.7—Items embedded after concrete placement
- 16.8—Marking and identification
- 16.9—Handling
- 16.10—Strength evaluation of precast construction
- Chapter 17—Composite concrete flexural members, p. 349-67
- 17.1—Scope
- 17.2—General
- 17.3—Shoring
- 17.4—Vertical shear strength
- 17.5—Horizontal shear strength
- 17.6—Ties for horizontal shear
- Chapter 18—Prestressed concrete, p. 349-68
- 18.1—Scope
- 18.2—General
- 18.3—Design assumptions
- 18.4—Serviceability requirements—flexural members
- 18.5—Permissible stresses in prestressing steel
- 18.6—Loss of prestress
- 18.7—Flexural strength

- 18.8—Limits for reinforcement of flexural members
- 18.9—Minimum bonded reinforcement
- 18.10—Statically indeterminate structures
- 18.11—Compression members—combined flexure and axial loads
- 18.12—Slab systems
- 18.13—Post-tensioned tendon anchorage zones
- 18.14—Intentionally left blank
- 18.15—Intentionally left blank
- 18.16—Corrosion protection for unbonded tendons
- 18.17—Post-tensioning ducts
- 18.18—Grout for bonded tendons
- 18.19—Protection for prestressing steel
- 18.20—Application and measurement of prestressing force
- 18.21—Post-tensioning anchorages and couplers
- 18.22—External post-tensioning

Chapter 19—Shells, p. 349-73

- 19.1—Scope
- 19.2—General
- 19.3—Design strength of materials
- 19.4—Section design and reinforcement requirements
- 19.5—Construction

Chapter 20—Strength evaluation of existing

structures, p. 349-74

- 20.1—Strength evaluation—general
- 20.2—Analytical investigations—general
- 20.3—Load tests—general
- 20.4—Load test procedure
- 20.5—Loading criteria
- 20.6—Acceptance criteria
- 20.7—Safety
- Chapter 21—Provisions for seismic design,
- p. 349-75
- 21.1—Definitions
- 21.2—General requirements
- 21.3—Flexural members of moment frames
- 21.4—Moment frame members subjected to bending and axial load
- 21.5—Joints of moment frames
- 21.6—Intentionally left blank
- 21.7—Reinforced concrete structural walls and coupling

beams

- 21.8—Intentionally left blank
- 21.9—Structural diaphragms and trusses
- 21.10—Foundations

APPENDIXES

Appendix A—Strut-and-tie models, p. 349-82

A.1—Definitions

- A.2—Strut-and-tie model design procedure
- A.3—Strength of struts
- A.4—Strength of ties
- A.5—Strength of nodal zones
- Appendix B—Intentionally left blank, p. 349-84
- Appendix C—Alternative load and strengthreduction
- factors, p. 349-84
- C.1—General
- C.2—Required strength
- C.3—Design strength
- Appendix D—Anchoring to concrete, p. 349-85
- D.1—Definitions
- D.2—Scope
- D.3—General requirements
- D.4—General requirements for strength of anchors
- D.5—Design requirements for tensile loading
- D.6—Design requirements for shear loading
- D.7—Interaction of tensile and shear forces
- D.8—Required edge distances, spacings, and thicknesses to preclude splitting failure
- D.9—Installation of anchors
- D.10-Structural plates, shapes, and specialty inserts
- D.11—Shear strength of embedded plates and shear lugs
- D.12—Grouted embedments

Appendix E—Thermal considerations, p. 349-92

- E.1—Scope
- E.2—Definitions
- E.3—General design requirements
- E.4—Concrete temperatures
- Appendix F—Special provisions for impulsive and
- impactive effects, p. 349-93
- F.1—Scope
- F.2—Dynamic strength increase
- F.3—Deformation
- F.4—Requirements to assure ductility
- F.5—Shear strength
- F.6—Impulsive effects
- F.7—Impactive effects
- F.8—Impactive and impulsive loads
- Appendix G—SI metric equivalents of U.S.
- Customary Units, p. 349-96

COMMENTARY

- Introduction, p. 349-101
- Chapter R1—General requirements, p. 349-101
- R1.1—Scope
- R1.2—Drawings and specifications
- R1.3—Inspection

- R1.4—Approval of special systems of design or construction
- R1.5—Quality assurance program
- Chapter R2—Notation and definitions, p. 349-102
- R2.1—Commentary notation
- R2.2—Definitions
- Chapter R3—Materials, p. 349-102
- R3.1—Tests of materials
- R3.2—Cements
- R3.3—Aggregates
- R3.4—Water
- R3.5—Steel reinforcement
- R3.6—Admixtures
- R3.7—Storage and identification of materials
- Chapter R4—Durability requirements, p. 349-104
- R4.2—Freezing and thawing exposures
- R4.3—Sulfate exposures
- R4.4—Corrosion protection of reinforcement
- Chapter R5—Concrete quality, mixing, and placing,
- p. 349-105
- R5.1—General
- R5.3—Proportioning on the basis of field experience, or trial mixtures, or both
- R5.4—Proportioning without field experience or trial mixtures
- R5.6—Evaluation and acceptance of concrete

- R5.7—Preparation of equipment and place of deposit
- R5.9—Conveying
- R5.10—Depositing
- R5.11—Curing
- R5.12—Cold weather requirements
- R5.13—Hot weather requirements
- Chapter R6—Formwork, embedded pipes, and construction joints, p. 349-108
- R6.1—Design of formwork
- R6.2—Removal of forms, shores, and reshoring
- R6.3—Conduits and pipes embedded in concrete
- R6.4—Construction joints
- Chapter R7—Details of reinforcement, p. 349-108
- R7.4—Surface conditions of reinforcement
- R7.12—Minimum reinforcement
- R7.13—Requirements for structural integrity
- Chapter R8—Analysis and design—general considerations, p. 349-109
- R8.2—Loading
- R8.3—Methods of analysis
- R8.5—Modulus of elasticity
- R8.11—Joist construction
- Chapter R9—Strength and serviceability requirements, p. 349-109
- R9.1—General
- R9.2—Required strength

R9.3—Design strength

- R9.4—Design strength for reinforcement
- R9.5—Control of deflections
- Chapter R10—Flexure and axial loads, p. 349-113
- R10.6—Distribution of flexural reinforcement in beams and one-way slabs
- Chapter R11—Shear and torsion, p. 349-113
- R11.12—Special provisions for slabs and footings
- Chapter R12—Development and splices of
- reinforcement, p. 349-113
- R12.6—Mechanical anchorage
- R12.14—Splices of reinforcement—general
- R12.15—Splices of deformed bars and deformed wire in tension
- Chapter R13—Two-way slab systems, p. 349-114
- Chapter R14—Walls, p. 349-114
- R14.3—Minimum reinforcement
- Chapter R15—Footings, p. 349-114
- Chapter R16—Precast concrete, p. 349-114
- Chapter R17—Composite concrete flexural members, p. 349-114
- Chapter R18—Prestressed concrete, p. 349-114
- Chapter R19—Shells, p. 349-114
- R19.1—Scope
- R19.2—General
- R19.4—Section design and reinforcement requirements

Chapter 20—Strength evaluation of existing structures, p. 349-115

- R20.1—Strength evaluation—general
- R20.2—Analytical investigations—general
- R20.3—Load tests—general
- R20.4—Load test procedure
- R20.5—Loading criteria
- R20.6—Acceptance criteria
- Chapter R21—Provisions for seismic design,
- p. 349-116
- R21.1—Definitions
- R21.2—General requirements
- R21.3—Flexural members of moment frames
- R21.4—Moment frame members subjected to bending
- and axial load
- R21.5—Joints of moment frames
- R21.6—Intentionally left blank
- R21.7—Reinforced concrete structural walls and coupling beams
- R21.8—Intentionally left blank
- R21.9—Structural diaphragms and trusses
- R21.10—Foundations

APPENDIXES

Appendix RA—Strut-and-tie models, p. 349-127

Appendix RB—Intentionally left blank, p. 349-127

Appendix RC—Alternative load and design

strength-reduction factors, p. 349-127

- RC.1—General
- RC.2—Required strength
- RC.3—Design strength
- Appendix RD—Anchoring to concrete, p. 349-128
- RD.1—Definitions
- RD.2—Scope
- RD.3—General requirements
- RD.4—General requirements for strength of anchors
- RD.5—Design requirements for tensile loading
- RD.6—Design requirements for shear loading
- RD.7—Interaction of tensile and shear forces
- RD.8—Required edge distances, spacings, and thicknesses to preclude splitting failure
- RD.9—Installation of anchors
- RD.10—Structural plates, shapes, and specialty inserts
- RD.11—Shear strength of embedded plates and shear lugs
- Appendix RE—Thermal considerations, p. 349-141
- RE.1—Scope
- RE.2—Definitions
- RE.3—General design requirements
- RE.4—Concrete temperatures
- Appendix RF—Special provisions for impulsive and impactive effects, p. 349-144

RF.1—Scope

- RF.2—Dynamic strength increase
- RF.3—Deformation
- RF.4—Requirements to assure ductility
- RF.5—Shear strength
- RF.6—Impulsive effects
- RF.7—Impactive effects
- RF.8—Impactive and impulsive loads