

Table of Contents

	Page No.
<i>Dedication</i>	v
<i>Personnel</i>	vii
<i>Foreword</i>	ix
<i>List of Tables</i>	xiv
<i>List of Figures</i>	xv
1. General Requirements	1
1.1 Scope	1
1.2 Approval	1
1.3 Definitions	1
1.4 Welding Symbols	1
1.5 Safety Precautions	1
1.6 Standard Units of Measure	1
1.7 Reference Documents	1
2. Design of Welded Connections	3
2.0 Scope	3
2.1 Structural Design	3
2.2 Drawings	3
2.3 Groove Welds	4
2.4 Fillet Welds	4
2.5 Plug and Slot Welds	5
2.6 Filler Plates	5
3. Qualification	9
Part A—General Requirements	9
3.1 General	9
3.2 Qualification of WPSs	9
3.3 Qualification of Welders, Welding Operators, and Tack Welders	10
3.4 Position of Test Welds	10
Part B—Types of Tests, Test Methods, and Acceptance Criteria	11
3.5 Types and Purposes of Tests	11
3.6 Visual Examination	11
3.7 Tension Tests—Groove Welds	12
3.8 Bend Tests—Groove Welds—Plate and Pipe	12
3.9 Soundness Tests—Groove Welds in Castings	14
3.10 Soundness Tests—Fillet Welds	14
3.11 <u>Radiographic Examination</u>	15
Part C—WPS Qualification	15
3.12 General	15
3.13 Limits of Qualified Positions for WPSs	15
3.14 Limitation of Essential Variables—WPS Qualification	15
3.15 Tests—WPS Qualification	15
3.16 Retests	16
Part D—Performance Qualification	16
3.17 General	16
3.18 Limits of Qualified Positions for Performance	17

3.19	Preparation of Test Weldments—Performance Qualification	17
3.20	Essential Variables.....	18
3.21	Tests—Performance Qualification	18
3.22	Retests.....	18
3.23	Period of Effectiveness	19
4.	Fabrication	65
4.0	Scope.....	65
4.1	Processes.....	65
4.2	Base Metal	65
4.3	Filler Metal	65
4.4	Tungsten Electrodes.....	65
4.5	Shielding Gas.....	65
4.6	Welding and Cutting Equipment	65
4.7	Backing	66
4.8	Preheat and Interpass Temperatures	66
4.9	Welding Environment.....	66
4.10	Compliance with Design.....	66
4.11	Preparation of Base Metal	66
4.12	Assembly	67
4.13	Technique	68
4.14	Tack and Temporary Welds.....	68
4.15	Dimensional Tolerances for Welded Members	68
4.16	Arc Strikes	69
4.17	Weld Termination.....	69
4.18	Control of Distortion and Shrinkage.....	69
4.19	Weld Profiles	70
4.20	Repairs	70
4.21	Copper Inclusions	71
4.22	Cleaning of Completed Welds.....	71
4.23	Anti-Spatter Compound.....	71
4.24	Postweld Heat Treatment.....	71
5.	Inspection	79
	Part A—General Requirements.....	79
5.1	General.....	79
5.2	Inspection of Materials	80
5.3	Inspection of WPS Qualification and Equipment.....	80
5.4	Inspection of Welder, Welding Operator, and Tack Welder Qualifications	80
5.5	Inspection of Work and Records	80
5.6	Obligations of the Contractor	80
5.7	Nondestructive Testing.....	81
5.8	Extent of Testing.....	81
	Part B—Radiographic Testing of Groove Welds in Butt Joints	82
5.9	General.....	82
5.10	RT Procedures	82
5.11	Acceptability of Welds	84
5.12	Examination, Report, and Disposition of Radiographs	84
	Part C—Ultrasonic Testing of Groove Welds.....	84
5.13	General.....	84
	Part D—Acceptance Criteria.....	85
5.14	Visual Inspection	85
5.15	RT	85

	Page No.
5.16 UT	86
5.17 PT	86
6. Stud Welding	97
Part A—General Requirements	97
6.1 General	97
6.2 Material Requirements	97
6.3 Workmanship	97
6.4 Qualification Requirements	97
6.5 Operator and Preproduction Qualification	99
6.6 Acceptance Criteria—Production Welds	99
6.7 Mislocated Studs	99
6.8 Repair of Misapplied Studs	99
Part B—Arc Stud Welding	99
6.9 General Requirements	99
6.10 Material Requirements	99
6.11 Workmanship	99
6.12 Technique	100
Part C—Capacitor Discharge Stud Welding	100
6.13 General Requirements	100
6.14 Material Requirements	100
6.15 Technique	100
7. Strengthening and Repair of Existing Structures	105
7.1 General	105
7.2 Base Metal	105
7.3 Design	105
7.4 Repair Procedure	105
7.5 Inspection	105
Annex A (Informative)—Reference Documents	107
Annex B (Informative)—Recommended Groove Welded Joints	109
Annex <u>D</u> (Informative)—Examples of Tubular Connections	145
Annex <u>E</u> (Informative)—Effective Throat	149
Annex <u>F</u> (Informative)—Sample Welding Forms	151
Annex <u>G</u> (Informative)—Sample NDT Forms	159
Annex <u>H</u> (Informative)—Solutions for Macroetching Aluminum Weldments	163
Annex <u>I</u> (Informative)—Guide for Specification Writers	165
Annex <u>J</u> (Informative)—Safe Practices	167
Annex <u>K</u> (Informative)—Tungsten Electrodes	171
Annex <u>L</u> (Informative)—Guidelines for the Preparation of Technical Inquiries	173
<i>Commentary</i>	175
Foreword	177
Index	201
List of AWS Documents on Structural Welding	209

List of Tables

Table	Page No.
2.1 Minimum Diameter of Hole for Plug Welds or Width of Slot for Slot Welds	6
3.1 Limitations of Essential Variables of a WPS	20
3.2 Tensile Strength of Welded Aluminum Alloys (GTAW or GMAW with No Postweld Heat Treatment)	22
3.3 WPS Qualification—Type of Weld and Position Limitations	24
3.4 Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification—CJP Groove Welds	25
3.5 Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification—PJP Groove Welds	28
3.6 Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification—Fillet Welds	29
3.7 Welder Performance Qualification—Type of Weld and Position Limitations	30
3.8 Number and Type of Test Specimens and Range of Thickness Qualified—Welder and Welding Operator Qualification	31
3.9 Welding Personnel Performance Essential Variable Changes Requiring Requalification	35
4.1 Aluminum Alloy Products Available for Structural Applications	72
4.2 Recommended Aluminum Alloy Filler Metals for Structural Welding of Various Base Aluminum Alloys	73
4.3 Limit of Acceptability and Repair of Cut Edge Discontinuities in Plate	74
4.4 Technique	74
4.5 Maximum <u>Holding Times for Forming and Straightening</u>	75
4.6 <u>Weld Appearance</u>	76
5.1 Hole-Type IQI Requirements.	87
5.2 Wire IQI Requirements	87
5.3 Maximum Acceptable <u>Discontinuity</u> in Radiographs for Any 3 in [75 mm] Length of Weld (<u>Tubular and Cyclically Loaded Nontubular Connections</u>)	88
6.1 Minimum Required Torque Values and Tension Loads for Welding F-22 Aluminum-Alloy Studs	101
6.2 Stud Alloys for Arc Stud Welding of Various Base Alloys	101
6.3 Stud Alloys for Capacitor Discharge Stud Welding of Various Base Alloys	101
<u>K.1</u> Typical Current Ranges for Tungsten Electrodes	171
<u>K.2</u> Typical Chemical Composition of Tungsten Electrodes	172

List of Figures

Figure	Page No.
2.1	Details of Skewed T-Joints 7
2.2	Filler Plates Less Than 1/4 in [6 mm] in Thickness 8
2.3	Filler Plates 1/4 in [6 mm] or More in Thickness 8
3.1	Positions of Groove Welds 36
3.2	Positions of Fillet Welds 37
3.3	Positions of Test Plates for Groove Welds 38
3.4	Positions of Test Pipes for Groove Welds 39
3.5	Positions of Test Plates for Fillet Welds 40
3.6	Positions of Test Pipes for Fillet Welds 41
3.7	Reduced Section Tension Specimens—Plate and Pipe 42
3.8	Alternate Reduced Section Tension Specimen for Pipe (3 in [75 mm] Diameter or Less) 43
3.9	Full Section Tension Specimens—Small Diameter Pipe (3 in [75 mm] Diameter or Less) 43
3.10	Transverse Side Bend Specimens 44
3.11	Longitudinal Face and Root Bend Specimens 45
3.12	Transverse Face and Root Bend Specimens 46
3.13	Wraparound Guided Bend Jig 47
3.14	Plunger-Type Guided Bend Jig 48
3.15	Roller-Type Guided Bend Jig 50
3.16	Nick-Break Fracture Test Specimen for WPS Qualification of Cast to Cast or Cast to Wrought Alloys 52
3.17	Fillet Weld Soundness Test for WPS Qualification—Option 1—Plate 53
3.18	Fillet Weld Soundness Test for WPS Qualification—Pipe 54
3.19	Fillet Weld Soundness Test for WPS Qualification—Option 2—Root Bend Test—Plate 55
3.20	Location of Test Specimens for WPS Qualification—Plate 56
3.21	Location of Test Specimens for WPS Qualification—Pipe 57
3.22	Location of Test Specimens for WPS Qualification—Box Tubing 57
3.23	Location of Test Specimens for WPS Qualification—Job Size Pipe or Tubing 1/16 in through 3/8 in [2 mm through 10 mm] Wall Thickness 58
3.24	Location of Test Specimens for WPS Qualification—Job Size Pipe or Tubing over 3/8 in [10 mm] Wall Thickness 58
3.25	Performance Qualification in All Positions—Plate Thickness $T \leq 1/8$ in [3 mm] 59
3.26	Performance Qualification in All Positions—Plate Thickness $T > 1/8$ in [3 mm] 59
3.27	Performance Qualification in the Horizontal Position—Plate Thickness $T > 1/8$ in [3 mm] 60
3.28	Alternative Groove Weld Qualification Test Plate: All Thicknesses 60
3.29	Tubular Groove Weld—Performance Qualification—Without Backing 61
3.30	Tubular Groove Weld—Performance Qualification—Without Backing (Alternative to Figure 3.29) 61
3.31	Tubular Groove Weld—Performance Qualification—With Backing 61
3.32	Fillet Weld or Tack Welder Performance Qualification—Plate 62
3.33	Fillet Weld or Tack Welder Performance Qualification—Pipe or Tubing 62
3.34	Location of Test Specimens on Welded Test Pipe and Box Tubing—Performance Qualification 63
4.1	Edge Discontinuities in Cut Plate 77
4.2	Acceptable and Unacceptable Weld Profiles 78
5.1	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints 10 in [250 mm] and Greater in Length 89
5.2	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints Less than 10 in [250 mm] in Length 90

Figure	Page No.
5.3 Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints 10 in [250 mm] and Greater in Length	91
5.4 Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints Less Than 10 in [250 mm] in Length	92
5.5 Hole-Type IQI Design	93
5.6 Wire IQI	95
5.7 <u>Radiographic</u> Edge Blocks.....	96
5.8 <u>Maximum Acceptable Discontinuity RT Images</u>	96
6.1 Stud Weld Bend Jig	102
6.2 Torque Testing Arrangement for Stud Welds.....	103
<i>Annexes</i>	
B.1 Recommended CJP Groove Welded Joints	110
<u>B.2 Recommended PJP Groove Welded Joints</u>	130
<u>B.3</u> PJP Box Connections	141
<u>B.4</u> PJP—Circular—Tubular Joints for T-, Y-, and K-Connections Made by GTAW and GMAW.....	142
<u>D.1</u> Examples of Tubular Connections.....	146
<u>E.1</u> Effective Throats of PJP Groove Welds Reinforced with Fillet Welds	149
<i>Commentary</i>	
C-4.1 Examples of Unacceptable Cutting Beyond the Point of Tangency.....	188
C-4.2 Permissible Offset in Abutting Members	188
C-4.3 Correction of Misaligned Members	189
C-4.4 Measurement of Flange Warpage and Tilt	189