

Table of Contents

	Page No.
<i>Personnel</i>	v
<i>Foreword</i>	ix
<i>List of Tables</i>	xviii
<i>List of Figures</i>	xix
<i>List of Forms</i>	xxi
1. General Provisions	1
1.1 Application.....	1
1.2 Base Metal.....	1
1.3 Welding Processes.....	1
1.4 Fabricator Requirements.....	2
1.5 Definitions.....	2
1.6 Welding Symbols.....	2
1.7 Safety Precautions.....	2
1.8 Standard Units of Measurement.....	2
1.9 Welding Procedure Specifications (WPSs).....	3
1.10 Mechanical Testing.....	3
1.11 Reference Documents.....	3
2. Design of Welded Connections	5
Part A—General Requirements.....	5
2.1 Drawings.....	5
2.2 Basic Unit Stresses.....	6
2.3 Effective Weld Areas, Lengths, Throats, and Sizes.....	6
Part B—Structural Details.....	6
2.4 General.....	6
2.5 Welded Filler Plates.....	6
2.6 PJP Groove Welds.....	7
Part C—Details of Welded Joints.....	7
2.7 Joint Qualification.....	7
2.8 Details of Fillet Welds.....	7
2.9 Details of Plug and Slot Welds.....	7
2.10 Lap Joints.....	8
2.11 Corner and T-Joints.....	8
2.12 CJP Groove Welds.....	8
2.13 PJP Groove Welds.....	8
2.14 Prohibited Types of Joints and Welds.....	9
2.15 Combinations of Welds.....	9
2.16 Welds in Combination with Rivets and Bolts.....	9
2.17 Connection Details.....	9
3. Workmanship	51
3.1 General Requirements.....	51
3.2 Preparation of Base Metal.....	51
3.3 Assembly.....	54

3.4	Control of Distortion and Shrinkage	56
3.5	Dimensional Tolerances	56
3.6	Weld Profiles	58
3.7	Repairs	58
3.8	Peening.....	59
3.9	Caulking.....	60
3.10	Arc Strikes	60
3.11	Weld Cleaning	60
3.12	Weld Termination	60
3.13	Weld Backing	60
4.	Technique	65
	Part A—General Requirements	65
4.1	Filler Metal Requirements	65
4.2	Preheat and Interpass Temperature Requirements.....	66
4.3	Heat Input Control for Grade 690 [100] and 690W [100W]	67
4.4	Stress Relief Heat Treatment	67
	Part B—Shielded Metal Arc Welding (SMAW)	67
4.5	Electrodes for SMAW	67
4.6	Procedures for SMAW.....	68
	Part C—Submerged Arc Welding (SAW).....	69
4.7	General Requirements.....	69
4.8	Electrodes and Fluxes for SAW.....	69
4.9	Procedures for SAW with a Single Electrode.....	70
4.10	Procedures for SAW with Parallel Electrodes.....	70
4.11	Procedures for SAW with Multiple Electrodes	71
	Part D—Gas Metal Arc Welding (GMAW) and Flux Cored Arc Welding (FCAW)	72
4.12	Electrodes.....	72
4.13	Shielding Gas.....	73
4.14	Procedures for GMAW and FCAW with a Single Electrode	73
	Part E—Electroslag Welding (ESW) and Electrode Gas Welding (EGW).....	73
4.15	Qualification of Process, WPSs, and Joint Details	73
4.16	Mechanical Properties.....	74
4.17	Condition of Electrodes and Guide Tubes	74
4.18	Shielding Gas.....	74
4.19	Condition of Flux.....	74
4.20	Procedures for ESW and EGW	74
	Part F—Plug and Slot Welds	74
4.21	Plug Welds	74
4.22	Slot Welds.....	75
4.23	Plug and Slot Welds.....	75
	Part G—Control of Production Welding Variables	75
4.24	Tests	75
4.25	Control of Variables.....	75
4.26	Calibration of Equipment.....	75
4.27	Current Control	75
5.	Qualification	85
5.0	Scope.....	85
	Part A—Welding Procedure Specification (WPS) Qualification	85
5.1	Approval	85

	Page No.
5.2	Qualification Responsibility 85
5.3	Duration 85
5.4	Base Metal 86
5.5	Welding Consumables 87
5.6	Test Plate Thickness 87
5.7	General Requirements for WPS Qualification..... 87
5.8	Position of Test Welds 88
5.9	Options for WPS Qualification or Prequalification 89
5.10	Fillet Weld WPS Qualification 89
5.11	Prequalified WPS..... 89
5.12	Heat Input WPS 89
5.13	Production Procedure WPS 90
5.14	ESW and EGW 91
5.15	Type of Tests and Purpose..... 91
5.16	Weld Specimens—Number, Type, and Preparation 91
5.17	Nondestructive Testing (NDT) 92
5.18	Method of Testing Specimens 92
5.19	Test Results Required 93
5.20	Retests 93
Part B	—Welder, Welding Operator, and Tack Welder Qualification 94
5.21	General Requirements..... 94
5.22	Production Welding Positions Qualified 94
5.23	Qualification Tests Required 95
5.24	Limitations of Variables 96
5.25	Test Specimens: Number, Type, and Preparation..... 97
5.26	Method of Testing Specimens 97
5.27	Test Results Required 98
5.28	Retests 99
6.	Inspection 133
Part A	—General Requirements 133
6.1	General..... 133
6.2	Inspection of Materials 134
6.3	Inspection of WPS Qualification and Equipment..... 134
6.4	Inspection of Welder, Welding Operator, and Tack Welder Qualifications..... 134
6.5	Inspection of Work and Records 134
6.6	Obligations of the Contractor 135
6.7	Nondestructive Testing (NDT) 135
Part B	—Radiographic Testing (RT) of Groove Welds in Butt Joints 137
6.8	Extent of Testing..... 137
6.9	General..... 137
6.10	RT Procedure 137
6.11	Acceptability of Welds 140
6.12	Examination, Report, and Disposition of Radiographs 140
Part C	—Ultrasonic Testing (UT) of Groove Welds 140
6.13	General..... 140
6.14	Extent of Testing..... 140
6.15	UT Equipment..... 140
6.16	Reference Standards 141
6.17	Equipment Qualification..... 141
6.18	Calibration for Testing..... 141
6.19	Testing Procedures..... 142

6.20	Preparation and Disposition of Reports	143
6.21	Calibration of the UT Unit with IIW or Other Approved Reference Blocks	143
6.22	Equipment Qualification Procedures	144
6.23	Flaw Size Evaluation Procedures	146
6.24	Scanning Patterns.....	146
6.25	Examples of dB Accuracy Certification	146
	Part D—Weld Acceptance Criteria.....	146
6.26	Quality of Welds.....	146
7.	Stud Welding	167
7.1	Scope.....	167
7.2	General Requirements.....	167
7.3	Mechanical Requirements.....	167
7.4	Workmanship.....	168
7.5	Technique.....	168
7.6	Stud Application Qualification Requirements	169
7.7	Production Control.....	170
7.8	Inspection Requirements.....	171
8.	Statically Loaded Structures (No Applications within this code).....	175
9.	Welded Steel Bridges (<u>The provisions of this clause in ANSI/AASHTO/AWS [D1.5-96] were distributed throughout AASHTO/AWS [D1.5M/D1.5:2002] and remain so for this edition</u>).....	177
10.	Tubular Structures (No Applications within this code).....	179
11.	Strengthening and Repairing Existing Structures (No Applications within this code).....	181
12.	AASHTO/AWS Fracture Control Plan (FCP) for Nonredundant Members	183
12.1	General Provisions	183
12.2	Definitions	183
12.3	Contract Documents	183
12.4	Base Metal Requirements	184
12.5	Welding Processes	184
12.6	Consumable Requirements	184
12.7	Welding Procedure Specification (WPS)	188
12.8	Certification and Qualification	188
12.9	As-Received Inspection of Base Metal.....	189
12.10	Thermal Cutting	189
12.11	Repair of Base Metal	189
12.12	Straightening, Curving, and Cambering	190
12.13	Tack Welds and Temporary Welds	190
12.14	Preheat and Interpass Temperature Control.....	190
12.15	Postweld Thermal Treatments	190
12.16	Weld Inspection	191
12.17	Repair Welding	192
	<i>Annexes</i>	197
	<u>Cross Reference for Renumbered Annexes from the 2002 Code to the 2008 Code</u>	198
	Annex <u>A</u> (Normative)—Effective Throat	199
	Annex <u>B</u> (Normative)—Effective Throats of Fillet Welds in Skewed T-Joints	201
	Annex <u>C</u> (Normative)—Flatness of Girder Webs—Bridges.....	203
	Annex <u>D</u> (Normative)—Terms and Definitions.....	209
	Annex <u>E</u> (Normative)—Manufacturer’s Stud Base Qualification Requirements	217

Page No.

Annex <u>F</u> (Normative)—Part A—Qualification and Calibration of the UT Unit with Other Approved Reference Blocks	221
Part B—UT Equipment Qualification Procedures.....	223
Annex <u>G</u> (Normative)—Guidelines on Alternative Methods for Determining Preheat.....	231
<u>Annex H</u> (Normative)— <u>Welding Requirements for Conventional, Nonfracture Critical M270M [M270]</u> <u>(A 709M [A 709]) HPS 485W [HPS 70W] Components with Reduced Preheat</u> <u>and Interpass Temperature</u>	241
Annex <u>I</u> (Informative)—Weld Quality Requirements for Tension Joints.....	243
Annex <u>J</u> (Informative)—Description of Common Weld and Base Metal Discontinuities.....	245
Annex <u>K</u> (Informative)—Short Circuiting Transfer.....	255
Annex <u>L</u> (Informative)—Suggested Sample Welding Forms	259
Annex <u>M</u> (Informative)—Guidelines for Preparation of Technical Inquiries for the Joint AASHTO/AWS Subcommittee on Bridge Welding.....	267
Annex <u>N</u> (Informative)—Reference Documents.....	269
<i>Commentary on Bridge Welding Code</i>	271
Foreword.....	273
Index	395
List of AWS Documents on Structural Welding.....	409

List of Tables

Table	Page No.
2.1	Minimum Fillet Weld Size..... 11
2.2	Minimum Effective Weld Size for PJP Groove Welds..... 11
3.1	Limits on Acceptability and Repair of Cut Edge Discontinuities of Material..... 62
3.2	Camber Tolerance for Typical Girder..... 62
3.3	Camber Tolerance for Girders without a Designed Concrete Haunch..... 62
4.1	Matching Filler Metal Requirements for WPSs Qualified in Conformance with 5.12..... 76
4.2	Matching Filler Metal Requirements for WPSs Qualified in Conformance with 5.13..... 79
4.3	Filler Metal Requirements for Exposed Bare Application of M270M [M270] (A709M [A709]) Gr. 345W [50W] and Gr. HPS 345W [HPS 50W] Steel..... 82
4.4	Minimum Preheat and Interpass Temperature, °C [°F] 82
4.5	Minimum Holding Time 83
4.6	Alternate Stress-Relief Heat Treatment 83
4.7	Allowable Atmospheric Exposure of Low-Hydrogen SMAW Electrodes 83
5.1	WPS Qualification Requirements for Consumables 100
5.2	WPS Qualification or Prequalification Options 100
5.3	PQR Essential Variable Changes for WPSs Qualified per 5.13.3 101
5.4	Additional PQR Essential Variable Changes Requiring WPS Requalification for ESW or EGW..... 104
5.5	Required Number of Test Specimens—WPS Qualification 105
5.6	Welder Qualification—Type and Position Limitations 105
5.7	Number and Type of Specimens and Range of Thickness Qualified—Welder and Welding Operator Qualification..... 106
6.1	Hole-Type IQI Requirements..... 149
6.1A	Wire IQI Requirements 149
6.2	Testing Angle 150
6.3	UT Acceptance-Rejection Criteria—Tensile Stress..... 152
6.4	UT Acceptance-Rejection Criteria—Compressive Stress..... 153
7.1	Mechanical Property Requirements for Studs..... 172
7.2	Minimum Fillet Weld Size for Small Diameter Studs 172
12.1	CVN Test Values of Weld Metal with Matching Strength 194
12.2	Tack Weld Requirements 194
12.3	M270M [M270] (A709M [A709]) Gr. 250 [36], 345 [50] Minimum Preheat and Interpass Temperatures, °C [°F] 195
12.4	M270M [M270] (A709M [A709]) Gr. 345W [50W], HPS 345W [HPS 50W], HPS 485W [HPS 70W] Minimum Preheat and Interpass Temperatures, °C [°F] 195
12.5	M270M [M270] (A709M [A709]) Gr. 690 [100], 690W [100W] Minimum and Maximum Preheat/Interpass Temperatures, °C [°F]..... 195
<u>B.1</u>	Equivalent Fillet Weld Leg Size Factors for Skewed T-Joints, R = 0 202
<u>G.1</u>	Susceptibility Index Grouping as Function of Hydrogen Level “H” and Composition Parameter P _{cm} 234
<u>G.2</u>	Minimum Preheat and Interpass Temperatures for Three Levels of Restraint 234
<u>H.1</u>	Minimum Preheat and Interpass Temperature for M270M [M270] (A709M [A709]) HPS 485W [HPS 70W], °C [°F] 242
<u>H.2</u>	Filler Metals for Use with the Reduced Preheat of Table H.1, Diffusible Hydrogen Levels 4 mL/100 g Maximum..... 242
<u>J.1</u>	Common Types of Discontinuities..... 249
<u>K.1</u>	Typical Current Ranges for Short Circuiting Transfer Gas Metal Arc Welding (GMAW-S) of Steel 256

List of Figures

Figure		Page No.
2.1	Filler Plates Less Than 6 mm [1/4 in] Thick.....	12
2.2	Filler Plates 6 mm [1/4 in] or Thicker.....	12
2.3	Details for Fillet Welds	13
2.4	Details of Welded Joints for CJP Groove Welds	15
2.5	Details of Welded Joints for PJP Groove Welds.....	35
2.6	Fillet Welds on Opposite Sides of a Common Plane of Contact	47
2.7	Transition of Thickness at Butt Joints of Parts Having Unequal Thickness	48
2.8	Transition of Width at Butt Joints of Parts Having Unequal Width	49
3.1	Discontinuities in Cut Plate.....	63
3.2	Workmanship Tolerances in Assembly of Groove Welded Joints	63
3.3	Acceptable and Unacceptable Weld Profiles	64
4.1	Weld Bead in Which Depth and Width Exceed the Width of the Weld Face.....	84
5.1	WPS Qualification or Pretest—Test Plate A.....	107
5.2	WPS Verification—Test Plate B	108
5.3	Weld Soundness Test Plate for Details Not Conforming to Figure 2.4 or 2.5—Test Plate C	109
5.4	Positions of Fillet Welds	111
5.5	Positions of Groove Welds.....	111
5.6	Position of Test Plates for Groove Welds	112
5.7	Position of Test Plates for Fillet Welds.....	113
5.8	Fillet Weld Soundness Test (Macroetch) for WPS Qualification—Test Plate D	114
5.9	Standard Round All-Weld-Metal Tension Specimen.....	115
5.10	Reduced Section Tension Specimen	115
5.11	Side-Bend Specimen	116
5.12	Face- and Root-Bend Specimen	116
5.13	CVN Test Specimen—Type A.....	117
5.14	Guided Bend Test Jig	118
5.15	Alternative Wraparound Guided Bend Test Jig	119
5.16	Alternative Roller-Equipped Guided Bend Test Jig for Bottom Ejection of Test Specimen	120
5.17	Test Plate for Unlimited Thickness—Welder Qualification	121
5.18	Optional Test Plate for Unlimited Thickness—Horizontal Position—Welder Qualification	122
5.19	Test Plate for Limited Thickness—All Positions—Welder Qualification.....	123
5.20	Optional Test Plate for Limited Thickness—Horizontal Position—Welder Qualification	123
5.21	Fillet-Weld-Break and Macroetch Test Plate—Welder Qualification—Option 1.....	124
5.22	Fillet Weld Root-Bend Test Plate—Welder Qualification—Option 2	125
5.23	Plug Weld Macroetch Test Plate—Welder Qualification	126
5.24	Test Plate for Unlimited Thickness—Welding Operator Qualification	127
5.25	Butt Joint for Welding Operator Qualification—ESW and EGW	128
5.26	Fillet-Weld-Break and Macroetch Test Plate—Welding Operator Qualification—Option 1	129
5.27	Fillet Weld Root Bend Test Plate—Welding Operator Qualification—Option 2	130
5.28	Fillet-Weld-Break Specimen—Tack Welder Qualification	131
5.29	Method of Rupturing Specimen—Tack Welder Qualification	131
6.1A	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints 250 mm [10 in] and Greater in Length.....	154

Figure	Page No.
6.1B	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints Less than 250 mm [10 in] in Length 154
6.1C	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints 250 mm [10 in] and Greater in Length 155
6.1D	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints Less than 250 mm [10 in] in Length 155
6.1E	Hole-Type IQI Design 156
6.1F	Wire-Type IQI 157
6.2	RT Edge Block Placement 158
6.3	Transducer Crystal 159
6.4	Qualification Procedure of Search Unit Using IIW Reference Block 159
6.5A	International Institute of Welding (IIW) UT Reference Blocks 160
6.5B	Other Approved UT Reference Blocks 161
6.6	Transducer Positions (Typical) 163
6.7	Plan View of UT Scanning Patterns 164
6.8	Weld Quality Requirements for Discontinuities Occurring in Tension Welds (Limitations of Porosity and Fusion Discontinuities) 165
6.9	Weld Requirements for Discontinuities Occurring in Compression Welds (Limitations of Porosity or Fusion Type Discontinuities) 166
7.1	Dimension and Tolerances of Standard-Type Shear Connectors 173
7.2	Typical Tension Test Fixture 173
7.3	Torque Testing Arrangement and Table of Testing Torques 174
<u>E.1A</u>	Bend Testing Device 219
<u>E.1B</u>	Suggested Type of Device for Qualification Testing of Small Studs 219
<u>F.1</u>	Example of the Use of Form <u>F-1</u> UT Unit Certification 224
<u>F.2</u>	Example of Form <u>F-2</u> 225
<u>F.3</u>	Example of the Use of Form <u>F-2</u> 226
<u>F.4</u>	Example of Form <u>F-3</u> 227
<u>F.5</u>	Example of the Use of Form <u>F-3</u> 228
<u>F.6</u>	Form <u>F-4</u> —Report of UT of Welds 229
<u>G.1</u>	Zone Classification of Steels 235
<u>G.2</u>	Critical Cooling Rate for 350 <u>HV</u> and 400 <u>HV</u> 236
<u>G.3</u>	Charts to Determine Cooling Rates for Single-Pass Submerged Arc Fillet Welds 237
<u>G.4</u>	Relation Between Fillet Weld Size and Energy Input 240
<u>J.1</u>	Weld in Butt Joint 250
<u>J.2</u>	Weld in Corner Joint 251
<u>J.3</u>	Weld in T-Joint 252
<u>J.4</u>	Weld in Lap Joint 253
<u>J.5</u>	Single-Pass Fillet Weld in T-Joint 253
<u>J.6</u>	Single-V-Groove Weld in Butt Joint 254
<u>K.1</u>	Oscillograms and Sketches of Short Circuiting Arc Metal Transfer 257
<i>Commentary</i>	
<u>C-2.1</u>	<u>Details of Alternative Groove Preparations for Corner Joint</u> 294
C-3.1	Examples of Unacceptable Reentrant Corners 317
C-3.2	Examples of Good Practice for Cutting Copcs 317
<u>C-3.3</u>	<u>Permissible Offset in Abutting Members</u> 318
<u>C-3.4</u>	<u>Correction of Misaligned Members</u> 318
<u>C-3.5</u>	<u>Illustration of Camber Tolerances for Steel Beams</u> 319
<u>C-3.6</u>	<u>Measurement of Flange Warpage and Tilt</u> 320
<u>C-3.7</u>	<u>Tolerances Bearing Points</u> 321

List of Forms

Form		Page No.
<u>L-1</u>	Certificate of Conformance to Requirements for Welding Electrodes	260
<u>L-2</u>	Sample Welding Procedure Specification.....	261
<u>L-3</u>	Procedure Qualification Record (PQR) for Qualification, Pretest, and Verification Results	262
<u>L-4</u>	<u>Procedure Qualification Record (PQR) Worksheet</u>	263
<u>L-5</u>	Welder and Welding Operator Qualification Record.....	264
<u>L-6</u>	Report of Radiographic Examination of Welds	265
<u>L-7</u>	Report of Magnetic Particle Examination of Welds	266