

TABLE OF CONTENTS

	Page
Section 1. Purpose	
1.1 Purpose.....	1
Section 2. Scope	
2.1 Scope.....	1
Section 3 General Requirements	
3.1 Flexibility.....	1
3.2 Other Uses.....	1
3.3 Impartial Testing Service.....	1
3.4 Units of Measure.....	1
3.5 Test Results and Post Test Uncertainty Analysis.....	2
3.6 Test Tolerance.....	2
Section 4 Definitions and Symbols	
4.1 Definitions.....	2
4.2 Symbols.....	2
Section 5 Conditions of Test	
5.1 Conduct of Test.....	4
5.2 Condition of Equipment.....	4
5.3 Operating Conditions.....	5
5.4 Test Uncertainty.....	5
Section 6. Instruments and Measurements	
6.1 General.....	5
6.2 Calibration.....	6
6.3 Water Flow Measurements.....	6
6.4 Process Fluid Flow Measurement.....	6
6.5 Temperature Measurements.....	6
6.6 Pressure Measurements.....	9
6.7 Wind Velocity (Speed and Direction).....	9
6.8 Fan and Pump Driver Output Power.....	9
6.9 Recirculating Pump by Others.....	11
6.10 Time Measurements.....	11
6.11 Water Analysis.....	11
Section 7. Test Procedures	
7.1 General.....	11
7.2 Duration of Tests.....	11
7.3 Test Measurements.....	11
7.4 Frequency of Readings.....	11
7.5 Stability of Test Conditions.....	11
Section 8 Test Evaluation	
8.1 General.....	11
8.2 Data to be Submitted by the Manufacturer.....	11
8.3 Source of Psychrometric and Thermophysical Data.....	12
8.4 Determination of Test Values.....	12
8.5 Flow Rate of Process Fluid.....	12

TABLE OF CONTENTS (Cont'd)

8.6	Determining Condensing Pressure and Temperature	12
8.7	Determining Condenser Total Heat Rejection	12
8.8	Condenser Adjusted Total Heat Rejection	12
8.9	Determining the Predicted Total Heat Rejection	13
8.10	Determining the Condenser Capability	13
Section 9. Report of Results		
9.1	General	13
9.2	Preliminary Report	13
9.3	Final Report	14
9.4	Security	14
9.5	Limitations	14

FIGURES

Figure 1.	Provisions for Measuring Temperature and Pressure of Entering Vapor	8
Figure 2.	Provisions for Measuring Temperature and Pressure of Leaving Condensate	8
Figure C-1.	Single Condenser with Top Drain into Receiver	18
Figure C-2.	Single Condenser with Bottom Connection into Receiver	18
Figure C-3.	Single Condenser with Two Coils and Trapped Drop Legs	19
Figure C-4.	Double Condenser with Trapped Drop Legs and Receiver	19
Figure D-1.	Condensing Temperature vs. Entering Wet-Bulb Temperature	22
Figure D-2.	Crossplot #1, Condensing Temperature vs. Load	22
Figure E-1.	Condensing Temperature vs. Entering Wet-Bulb Temperature	25
Figure E-2.	Crossplot #1, Condensing Temperature vs. Load	26

TABLES

Table 1.	Frequency of Calibration	6
Table 2.	Test Measurements – Types, Frequency, and Units of Measure	10
Table D-1.	Condensing Temperature for Different Loads at 20.2°C Entering Wet-Bulb Temperature	21
Table E-1.	Iteration for Enthalpy of Leaving Air	24

APPENDICES

A.	References, Normative	15
B.	References, Informative	16

TABLE OF CONTENTS (Cont'd)

C. Using UltraSonic Meters to Measure Process Fluid Flow (Normative)	17
D. SI Example Test Evaluation (Informative)	20
E. IP Example Test Evaluation (Informative)	23
F. Minimum Number and Location of Wet-Bulb Measurement Stations (Normative)	27
G. Method for Determining the Presence of Non-Condensables in a Refrigerant Vapor Condenser (Normative)	29