

American Nuclear Society

REAFFIRMED

January 24, 2017

ANSI/ANS-19.3-2011 (R2017)

**steady-state neutronics methods
for power reactor analysis**

an American National Standard


WITHDRAWN

October 6, 2022

ANSI/ANS-19.3-2011; R2017

This standard has been reviewed and reaffirmed with the recognition that it may reference other standards and documents that may have been superseded or withdrawn. The requirements of this document will be met by using the version of the standards and documents referenced herein. It is the responsibility of the user to review each of the references and to determine whether the use of the original references or more recent versions is appropriate for the facility. Variations from the standards and documents referenced in this standard should be evaluated and documented. This standard does not necessarily reflect recent industry initiatives for risk informed decision-making or a graded approach to quality assurance. Users should consider the use of these industry initiatives in the application of this standard.

No longer being maintained as an American National Standard. This standard may contain outdated material or may have been superseded by another standard. Please contact the ANS Standards Administrator for details.



published by the
American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526 USA

**American National Standard
Steady-State Neutronics Methods
for Power Reactor Analysis**

Secretariat
American Nuclear Society

Prepared by the
**American Nuclear Society
Standards Committee
Working Group ANS-19.3**

Published by the
**American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526 USA**

Approved August 26, 2011
by the
American National Standards Institute, Inc.

American National Standard

Designation of this document as an American National Standard attests that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standard has been achieved.

This standard was developed under procedures of the Standards Committee of the American Nuclear Society; these procedures are accredited by the American National Standards Institute, Inc., as meeting the criteria for American National Standards. The consensus committee that approved the standard was balanced to ensure that competent, concerned, and varied interests have had an opportunity to participate.

An American National Standard is intended to aid industry, consumers, governmental agencies, and general interest groups. Its use is entirely voluntary. The existence of an American National Standard, in and of itself, does not preclude anyone from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard.

By publication of this standard, the American Nuclear Society does not insure anyone utilizing the standard against liability allegedly arising from or after its use. The content of this standard reflects acceptable practice at the time of its approval and publication. Changes, if any, occurring through developments in the state of the art, may be considered at the time that the standard is subjected to periodic review. It may be reaffirmed, revised, or withdrawn at any time in accordance with established procedures. Users of this standard are cautioned to determine the validity of copies in their possession and to establish that they are of the latest issue.

The American Nuclear Society accepts no responsibility for interpretations of this standard made by any individual or by any ad hoc group of individuals. Requests for interpretation should be sent to the Standards Department at Society Headquarters. Action will be taken to provide appropriate response in accordance with established procedures that ensure consensus on the interpretation.

Comments on this standard are encouraged and should be sent to Society Headquarters.

Published by

**American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526 USA**

Copyright © 2011 by American Nuclear Society. All rights reserved.

Any part of this standard may be quoted. Credit lines should read "Extracted from American National Standard ANSI/ANS-19.3-2011 with permission of the publisher, the American Nuclear Society." Reproduction prohibited under copyright convention unless written permission is granted by the American Nuclear Society.

Printed in the United States of America

Inquiry Requests

The American Nuclear Society (ANS) Standards Committee will provide responses to inquiries about requirements, recommendations, and/or permissive statements (i.e., “shall,” “should,” and “may,” respectively) in American National Standards that are developed and approved by ANS. Responses to inquiries will be provided according to the Policy Manual for the ANS Standards Committee. Nonrelevant inquiries or those concerning unrelated subjects will be returned with appropriate explanation. ANS does not develop case interpretations of requirements in a standard that are applicable to only a specific design, operation, facility, or other unique situation and therefore is not intended for generic application.

Responses to inquiries on standards are published in ANS’s magazine, *Nuclear News*, and are available publicly on the ANS Web site or by contacting the ANS standards administrator.

Inquiry Format

Inquiry requests must include the following:

- (1) the name, company name if applicable, mailing address, and telephone number of the inquirer;
- (2) reference to the applicable standard edition, section, paragraph, figure, and/or table;
- (3) the purposes of the inquiry;
- (4) the inquiry stated in a clear, concise manner;
- (5) a proposed reply, if the inquirer is in a position to offer one.

Inquiries should be addressed to

American Nuclear Society
ATTN: Standards Administrator
555 N. Kensington Avenue
La Grange Park, IL 60526

or standards@ans.org

Foreword

(This Foreword is not a part of American National Standard “Steady-State Neutronics Methods for Power Reactor Analysis,” ANSI/ANS-19.3-2011.)

The intent of this American National Standard is to provide guidance for developing, validating, and utilizing steady-state neutronics methods to calculate neutron reaction-rate spatial distributions, power distributions, and effective neutron multiplication constants of nuclear power reactors and to provide guidelines by which the adequacy of design calculations may be demonstrated. This standard recognizes the diversity of the calculation procedures employed in reactor design. Consequently, the major thrusts of this standard are in the areas of methodology, verification, validation, and documentation. This standard is intended to cover reactor physics calculations for the entire nuclear industry, from fast to thermal power reactors. Since many different kinds of neutronics methods have been utilized for analyzing power reactors, and each has its own validation requirements for accuracy, it is necessary that this standard be of a general nature. Furthermore, this standard does not endorse or exclude the application of any methodology that has been adequately verified, validated, tested, and demonstrated to yield reliable reactor physics parameters.

For illustrative purposes, a list of computer codes currently being used throughout the nuclear industry is presented in the Appendix. This Appendix, however, is not part of the standard.

Compliance with the intent of this standard can be demonstrated for an intended area of applicability of the calculation system used, if the following requirements are met:

(1) Selection of models and methods

- (a) consideration of reactor configuration, composition, and all conditions of operation that significantly affect the calculated quantities and justification for the resultant model approximations,
- (b) preparation of multigroup cross sections and other parameters, if employed, in conformance with ANSI/ANS-19.1-2002 (R2011), “Nuclear Data Sets for Reactor Design Calculations,” through the use of an application-dependent energy spectrum estimate,
- (c) justification of geometric and neutronic transport approximations utilized in the spectrum calculation,
- (d) inclusion of all important space and energy effects in the calculation utilized for the generation of few-group cross sections, if these are employed,
- (e) demonstration of capability, as required by the application, to retrieve required neutron reaction rates in the physical reactor components from the computations and to justify any assumptions that need to be made in order to perform this retrieval,
- (f) justification of the spectrum calculation interval used in nuclide depletion calculations and justification that the numerical integration time step is sufficiently small to ensure numerical stability and accuracy appropriate to the application;

(2) Calculation system verification and validation

Establish degree of agreement between results obtained with the system being verified with results of experiments or of calculations using a more

accurate model, over the intended area of applicability for the system being verified;

(3) Evaluation of accuracy

The accuracy and range of applicability of data and methods should be evaluated by establishment of biases and uncertainties, with degree of confidence, for the calculations that include allowance for uncertainties in the comparison data;

(4) Documentation.

The intent of this standard is to require the individual to (a) give careful consideration to those physical and numerical effects that may contribute to the validity of results; (b) document the reasons for selecting a specific calculation path; and (c) validate the calculation system used over the intended range of applicability by testing it against appropriate experiments, numerical benchmarks, and/or previously validated methods.

The requirement for documentation is a crucial part of this standard and will provide an auditable path. Areas omitted due to proprietary consideration shall be noted where possible.

The most important ways in which this revision differs from its earlier version, ANSI/ANS-19.3-2005, are as follows:

- (1) The passages on common practices for pressurized water reactors, boiling water reactors, and liquid metal reactors have been revised to reflect the significant advances in reactor physics methods and computer codes made since the last revision. New passages have been added for heavy water reactor and high-temperature gas-cooled reactor methods;
- (2) The Appendix, including the list of commonly used computer codes, has been updated. This revision reflects rapid development in two areas, namely,
 - (a) significant advances in reactor physics methods and calculation procedures as a result of a rapidly increasing experience base of operating power reactors,
 - (b) computer hardware and operating software developments that have permitted many traditional approximate methods to be replaced, with increased performance and user productivity as a result.

This standard might reference documents and other standards that have been superseded or withdrawn at the time the standard is applied. A statement has been included in Sec. 9, "References," that provides guidance on the use of references.

This standard does not incorporate the concepts of generating risk-informed insights, performance-based requirements, or a graded approach to quality assurance. The user is advised that one or more of these techniques could enhance the application of this standard.

This standard for reactor physics calculations will undergo review and revision within 5 years. Suggestions for the improvement of this standard will be welcome. They should be sent to the attention of the Standards Department, American Nuclear Society, 555 N. Kensington Avenue, La Grange Park, IL 60526.

This standard was developed and later revised by Working Group ANS-19.3 of the American Nuclear Society, which at the time of this revision had the participation of the following members:

B. Rouben, *12 & 1 Consulting*
S. Baker, *Transware Enterprises, Inc.*
R.-T. Chiang, *AREVA NP*
D. M. Cokinos, *Brookhaven National Laboratory*
R. J. Ellis, *Oak Ridge National Laboratory*
D. R. Harris, *Rensselaer Polytechnic Institute*
G. Hobson, *AREVA NP*
K. Kozier, *Atomic Energy of Canada Limited*
R. D. Mosteller, *Los Alamos National Laboratory*
E. Nichita, *University of Ontario Institute of Technology*
S. Palmtag, *Global Nuclear Fuel*
C. T. Rombough, *CTR Technical Services*
W. Shen, *Atomic Energy of Canada Limited*
R. R. St. Clair, *Duke Energy*
S. B. Thomas, *Duke Power*
P. Yarsky, *U.S. Nuclear Regulatory Commission*

The membership of Subcommittee ANS-19 at the time of its review and approval of this standard was the following:

D. M. Cokinos (Chair), *Brookhaven National Laboratory*
C. T. Rombough (Secretary), *CTR Technical Services, Inc.*

A. Attard, *U.S. Nuclear Regulatory Commission*
S. Baker, *Transware Enterprises, Inc.*
W. H. Bell, *South Carolina Electric & Gas Company*
R.-T. Chiang, *AREVA NP*
D. J. Diamond, *Brookhaven National Laboratory*
I. Gauld, *Oak Ridge National Laboratory*
J. Katakura, *Japan Atomic Energy Research Institute*
R. Little, *Los Alamos National Laboratory*
L. Lois, *U.S. Nuclear Regulatory Commission (retired)*
R. McKnight, *Argonne National Laboratory*
R. D. Mosteller, *Los Alamos National Laboratory*
B. Rouben, *12 & 1 Consulting*
E. Sartori, *Organisation for Economic Co-operation and Development/Nuclear Energy Agency (retired)*
A. Weitzberg, *retired*

Consensus Committee N17, Research Reactors, Reactor Physics, Radiation Shielding, and Computational Methods, had the following membership at the time it reviewed and approved this standard:

T. M. Raby (Chair), *National Institute of Standards and Technology*
A. Weitzberg (Vice Chair), *Individual*

S. L. Anderson, *Westinghouse*
W. H. Bell, *American Institute of Chemical Engineers*
(Alt. R. D. Zimmerman, *American Institute of Chemical Engineers*)
R. R. Brey, *Health Physics Society*
R. E. Carter, *Individual*
D. M. Cokinos, *Brookhaven National Laboratory*
M. L. Corradini, *National Council on Radiation Protection and Measurement*
B. K. Grimes, *Individual*
N. E. Hertel, *Georgia Institute of Technology*
C. Heysel, *McMaster University*
M. A. Hutmaker, Jr., *U.S. Department of Energy*
A. C. Kadak, *Massachusetts Institute of Technology*
L. I. Kopp, *Individual*
P. M. Madden, *U.S. Nuclear Regulatory Commission*
(Alt. A. Adams, Jr., *U.S. Nuclear Regulatory Commission*)
J. F. Miller, *Institute of Electrical and Electronics Engineers*

T. J. Myers, *National Institute of Standards and Technology*
(Alt. S. H. Weiss, *National Institute of Standards and Technology*)
D. S. O'Kelly, *National Institute of Standards and Technology*
J. E. Olhoeft, *Individual*
R. E. Pevey, *University of Tennessee-Knoxville*
C. T. Rombough, *CTR Technical Services, Inc.*
T. R. Schmidt, *Sandia National Laboratories*
A. O. Smetana, *Savannah River National Laboratory*
R. Tsukimura, *Aerotest Operations*
A. R. Veca, *General Atomics*

Contents	Section	Page
	1	1
	2	1
	3	1
	3.1	1
	3.2	1
	3.3	3
	4	3
	5	4
	5.1	4
	5.2	4
	5.3	5
	5.4	5
	5.5	6
	5.6	6
	5.7	8
	5.8	8
	5.9	9
	6	15
	6.1	15
	6.2	15
	6.3	16
	6.4	17
	7	18
	8	18
	9	19
	Appendix	
	Computer Codes in Common Use	20
	Figures	
	Figure 1	10
	Figure 2	10
	Figure 3	11
	Figure 4	13
	Figure 5	14